


SDNCN

外圆车刀杆

External Turning Holder

SDNCN系列
SDNCN Series




Designation 型号	Inserts 刀片	Dimension (mm)/尺寸						Parts/配件	
		H	B	L	L1	H1	F	Screw 螺丝	Wrench 扳手
SDNCN1010K07	DC□□0702	10	10	125	20	10	5	M2.5-003	T-8
SDNCN1212K07		12	12	125	20	12	6		
SDNCN1212H11	DC□□11T3	12	12	100	24	12	6	M3.5-004	T-15
SDNCN1616H11		16	16	100	27	16	8		
SDNCN2020K11		20	20	125	27	20	10		
SDNCN2525M11		25	25	150	27	25	12.5		

SDQCR/L

外圆车刀杆

External Turning Holder

SDQCR/L系列
SDQCR/L Series




Designation 型号	Inserts 刀片	Dimension (mm)/尺寸						Parts/配件	
		H	B	L	L1	H1	F	Screw 螺丝	Wrench 扳手
SDQCR/L1010H07	DC□□0702	10	10	100	15	10	12	M2.5-003	T-8
SDQCR/L1212H07		12	12	100	18	12	16		
SDQCR/L1212H11	DC□□11T3	12	12	100	18	12	16	M3.5-004	T-15
SDQCR/L1616H11		16	16	100	22	16	20		
SDQCR/L2020K11		20	20	125	25	20	25		
SDQCR/L2525M11		25	25	150	25	25	32		

SDJCR/L

外圆车刀杆

External Turning Holder

SDJCR/L系列
SDJCR/L Series




Designation 型号	Inserts 刀片	Dimension (mm)/尺寸						Parts/配件	
		H	B	L	L1	H1	F	Screw 螺丝	Wrench 扳手
SDJCR/L1010H07	DC□□0702	10	10	100	18	10	12	M2.5-003	T-8
SDJCR/L1212H07		12	12	100	20	12	16		
SDJCR/L1616H07		16	16	100	20	16	20		
SDJCR/L1212H11	DC□□11T3	12	12	100	22	12	16	M3.5-004	T-15
SDJCR/L1616H11		16	16	100	22	16	20		
SDJCR/L2020K11		20	20	125	25	20	25		
SDJCR/L2525M11		25	25	150	32	25	32		
SDJCR/L3232P11		32	32	170	36	32	40		

SCLCR/L

外圆车刀杆

External Turning Holder

SCLCR/L系列
SCLCR/L Series




Designation 型号	Inserts 刀片	Dimension (mm)/尺寸						Parts/配件	
		H	B	L	L1	H1	F	Screw 螺丝	Wrench 扳手
SCLCR/L1010H06	CC□□0602	10	10	100	15	10	12	M2.5-003	T-8
SCLCR/L1212H06		12	12	100	15	12	16		
SCLCR/L1212H09	CC□□09T3	12	12	100	20	12	16	M3.5-004	T-15
SCLCR/L1616H09		16	16	100	20	16	20		
SCLCR/L2020K09		20	20	125	22	20	25		
SCLCR/L2525M09		25	25	150	22	25	32		
SCLCR/L2020K12	CC□□1204	20	20	125	22	20	25	M5.0-002	T-20
SCLCR/L2525M12		25	25	150	28	25	32		
SCLCR/L3232P12		32	32	170	30	32	40		

SVVC(B)N

外圆车刀杆

External Turning Holder

SVVC(B)N系列
SVVC(B)N Series




Designation 型号	Inserts 刀片	Dimension (mm)/尺寸						Parts/配件	
		H	B	L	L1	H1	F	Screw 螺丝	Wrench 扳手
SVVC(B)N1616H11	VC□□1103	16	16	100	28	16	8	M2.5-003	T-8
SVVC(B)N2020K11		20	20	125	35	20	10		
SVVC(B)N2525M11		25	25	150	35	25	12.5		
SVVC(B)N1616H16	VC□□1604	16	16	100	32	16	8	M3.5-004	T-15
SVVC(B)N2020K16		20	20	125	35	20	10		
SVVC(B)N2525M16		25	25	150	38	25	12.5		
SVVC(B)N3232P16		32	32	170	45	32	16		

SVJC(B)R/L

外圆车刀杆

External Turning Holder

SVJC(B)R/L系列
SVJC(B)R/L Series




Designation 型号	Inserts 刀片	Dimension (mm)/尺寸						Parts/配件	
		H	B	L	L1	H1	F	Screw 螺丝	Wrench 扳手
SVJC(B)R/L1212H11	VC(B)□□1103	12	12	100	25	12	16	M2.5-003	T-8
SVJC(B)R/L1616H11		16	16	100	28	16	20		
SVJC(B)R/L2020K11		20	20	125	35	20	25		
SVJC(B)R/L2525M11		25	25	150	45	25	32		
SVJC(B)R/L1616H16	VC(B)□□1604	16	16	100	32	16	20	M3.5-004	T-15
SVJC(B)R/L2020K16		20	20	125	35	20	25		
SVJC(B)R/L2525M16		25	25	150	38	25	32		
SVJC(B)R/L3232P16		32	32	170	45	32	40		

SVUC(B)R/L

外圆车刀杆

External Turning Holder

SVUC(B)R/L系列
SVUC(B)R/L Series




Designation 型号	Inserts 刀片	Dimension (mm)/尺寸						Parts/配件	
		H	B	L	L1	H1	F	Screw 螺丝	Wrench 扳手
SVUC(B)R/L1616H11	VC(B)□□1103	16	16	100	16	16	20	M2.5-003	T-8
SVUC(B)R/L2020K11		20	20	125	16	20	30		
SVUC(B)R/L2020K16	VC(B)□□1604	20	20	125	25	20	30	M3.5-004	T-15
SVUC(B)R/L2525M16		25	25	150	25	25	35		

SVQC(B)R/L

外圆车刀杆

External Turning Holder

SVQC(B)R/L系列
SVQC(B)R/L Series



Designation 型号	Inserts 刀片	Dimension (mm)/尺寸						Parts/配件	
		H	B	L	L1	H1	F	Screw 螺丝	Wrench 扳手
SVQC(B)R/L1616H11	VC(B)□□1103	16	16	100	25	16	20	M2.5-003	T-8
SVQC(B)R/L2020K11		20	20	125	25	20	25		
SVQC(B)R/L1616H16	VC(B)□□1604	16	16	100	30	16	20	M3.5-004	T-15
SVQC(B)R/L2020K16		20	20	125	35	20	25		
SVQC(B)R/L2525M16		25	25	150	35	25	32		
SVQC(B)R/L3232P16		32	32	170	35	32	40		

P型/S型内孔刀

B02-01-01



PTUNR/L刀杆

B02-01-01



PTUNR/L-A刀杆

B02-01-02



PWLNR/L刀杆

B02-01-02



PWLNR/L-A刀杆

B02-02-01



STFCR/L刀杆

B02-02-02



STUCR/L刀杆

B02-02-02



STUPR/L刀杆

B02-02-03



STWCR/L刀杆

B02-02-03



SDWCR/L刀杆

B02-02-04



SCLCR/L变径

B02-02-05



SCLCR/L刀杆

B02-02-06



SDQCR/L刀杆

B02-02-06



SDUCR/L刀杆

车削刀具

TURNING TOOL

BEN Tools

PTUNR/L PTUNR/L-A
PWLNR/L PWLNR/L-A



WELCOME TO CONTACT BEN TOOLS


PTUNR/L

内孔镗刀杆

Internal Boring Bars

PTUNR/L系列

PTUNR/L Series



Designation 型号	Inserts 刀片	Dimension (mm)/尺寸							Parts/配件				
		ΦD	Φd	H	L	L1	F	a°	GGX 杠杆	NLJ-P 螺丝	TN-P 垫片	DX 垫销	Wrench 扳手
S20R-PTUNR\L16	TN□□1604□□	25	20	18	180	30	13	15	GGX0313A	NLJ0615-P	⊗	⊗	L2.5
S25S-PTUNR\L16		32	25	26	200	35	17	23					
S32T-PTUNR\L16		44	32	29	250	40	22	17	GGX0310	NLJ0618-P	TN1602-P	DX0505	
S40U-PTUNR\L16		50	40	37	300	45	27	15					


PTUNR/L-A

内孔镗刀杆

Internal Boring Bars

PTUNR/L-A系列

PTUNR/L-A Series




Designation 型号	Inserts 刀片	Dimension (mm)/尺寸							Parts/配件				
		ΦD	Φd	H	L	L1	F	a°	GGX 杠杆	NLJ-P 螺丝	TN-P 垫片	DX 垫销	TH 弹簧
S20Q-PTUNR\L16-A	TN□□1604□□	25	20	18	200	30	13	15	GGX0313A	NLJ0615-P	⊗	⊗	0405
S25R-PTUNR\L16-A		32	25	26	250	35	17	23					
S32S-PTUNR\L16-A		44	32	29	300	40	22	17	GGX0310	NLJ0618-P	TN1602-P	DX0505	0411
S40T-PTUNR\L16-A		50	40	37	350	45	27	15					

PWLNLR/L

内孔镗刀杆

Internal Boring Bars

PWLNLR/L系列
PWLNLR/L Series




Designation 型号	Inserts 刀片	Dimension (mm)/尺寸							Parts/配件				
		ΦD	Φd	H	L	L1	F	a°	GGX 杠杆	NLJ-P 螺丝	WN-P 垫片	DX 垫销	Wrench 扳手
S20R-PWLNRL 06	WN□□0604□□	25	20	18	200	25	13	15	GGX0310A	NLJ0615-P	⊗	⊗	L3.0
S25S-PWLNRL 08		32	25	23	250	32	17	12	GGX0516A	NLJ0816-P			
S32T-PWLNRL 08	WN□□0804□□	44	32	29	300	32	22	17	GGX0516	NLJ0820-P	WN0803-K	⊗	
S40T-PWLNRL 08		54	40	37	350	40	27	15					

PWLNLR/L-A

内孔镗刀杆

Internal Boring Bars

PWLNLR/L-A系列
PWLNLR/L-A Series



Designation 型号	Inserts 刀片	Dimension (mm)/尺寸							Parts/配件				
		ΦD	Φd	H	L	L1	F	a°	GGX 杠杆	NLJ-P 螺丝	TN-P 垫片	DX 垫销	TH 弹簧
S25P-PWLNLR\L 08-A	TN□□1604□□	32	25	23	170	32	17	12	GGX0516A	NLJ0809-P	⊗	⊗	0607
S25R-PWLNLR\L 08-A		32	25	23	200	32	17	12					
S25S-PWLNLR\L 08-A		32	25	23	250	32	17	12					
S32R-PWLNLR\L 08-A		44	32	29	200	32	22	17	GGX0516	NLJ0812-P	WN0803-P	DX0606	0608
S32S-PWLNLR\L 08-A		44	32	29	250	32	22	17					
S32T-PWLNLR\L 08-A		44	32	29	300	32	22	17					
S40R-PWLNLR\L 08-A		54	40	37	200	40	27	15					
S40S-PWLNLR\L 08-A		54	40	37	250	40	27	15					
S40T-PWLNLR\L 08-A		54	40	37	300	40	27	15					
S40U-PWLNLR\L 08-A		54	40	37	350	40	27	15					

BEN Tools

车削刀具

TURNING TOOL

SCLCR/L SCLCR/L变径

SDQCR/L SDUCR/L SDWCR/L

STFCR/L STUCR/L STUPR/L STWCR/L

高刚性、高精度保障高质量的镗孔加工

多规格、多角度、多种类刀杆让镗孔变得方便




STFCR/L

内孔镗刀杆
Internal Boring bars


BEN Tools

STFCR/L系列
STFCR/L Series




Designation 型号	Dimension (mm)/尺寸							Inserts 刀片	Parts/配件	
	D	d	L	L1	F	H	a°		Screw 螺丝	Wrench 扳手
S08K-STFCR/L09	11	8	125	16	5	7	15	TC□□0902	M2.2-003	T6
S10K-STFCR/L09	13	10	125	16	6	9	13			
S12M-STFCR/L09	16	12	150	16	7	11	10			
S10K-STFCR/L11	13	10	125	16	6	9	12			
S12M-STFCR/L11	16	12	150	16	7	11	10	TC□□1102	M2.5-003	T8
S14N-STFCR/L11	18	14	160	16	8	13	10			
S14Q-STFCR/L11	18	14	180	16	8	13	10			
S16N-STFCR/L11	20	16	160	16	9	15	8			
S16Q-STFCR/L11	20	16	180	16	9	15	8			
S20Q-STFCR/L11	25	20	180	25	11	18	6			
S20R-STFCR/L11	25	20	200	25	11	18	6			
S16Q-STFCR/L16	20	16	180	16	9	15	8	TC□□16T3	M3.5-003	T15
S20Q-STFCR/L16	25	20	180	25	11.5	18	8			
S20R-STFCR/L16	25	20	200	25	11.5	18	8			
S25R-STFCR/L16	31	25	200	25	14	23	6			
S25S-STFCR/L16	31	25	250	25	14	23	6			
S32S-STFCR/L16	39	32	250	32	17.5	29	4			
S32T-STFCR/L16	39	32	250	32	17.5	29	4			

Internal Boring bars



Internal Boring bars




STWCR/L

内孔镗刀杆

Internal Boring bars

STWCR/L系列
STWCR/L Series




Designation 型号	Dimension (mm)/尺寸							Inserts 刀片	Parts/配件	
	D	d	L	L1	F	H	a°		Screw 螺丝	Wrench 扳手
S08K-STWCR/L09	11	8	125	16	5.5	7	12	TC□□0902	TSA-M2.0-003	T6
S10K-STWCR/L09	13	10	125	16	6.5	9	10			
S10K-STWCRL11	14	10	125	16	8	9	10	TC□□1102	TSA-M2.2-003	T6
S12M-STWCRL11	16	12	150	16	9	11	8			
S14N-STWCR/L11	18	14	160	16	10	13	8			
S16Q-STWCR/L11	20	16	180	16	11	15	6			
S16Q-STWCR/L16	21	16	180	16	12	15	6	TC□□16T3	TSA-M2.5-003	T8
S20R-STWCR/L16	25	20	200	25	14.5	18	6			
S25S-STWCR/L16	32	25	250	25	17	23	4			

SDWCR/L

内孔镗刀杆

Internal Boring bars

SDWCR/L系列
SDWCR/L Series




Designation 型号	Dimension (mm)/尺寸							Inserts 刀片	Parts/配件	
	D	d	F	L	L1	H	a°		Screw 螺丝	Wrench 扳手
S10K-SDWCR/L07	16	10	9.5	125	16	9	12	DC□□0702	M2.5-003	T8
S12M-SDWCR/L07	19	12	10.5	150	16	11	10			
S16Q-SDWCR/L07	23	16	12.5	180	16	15	8			
S16N-SDWCR/L11	23	16	14	160	16	15	8	DC□□11T3	M3.5-003	T15
S16Q-SDWCR/L11	23	16	14	180	16	15	8			
S20R-SDWCR/L11	25.5	20	14.5	200	25	19	6			
S25S-SDWCR/L11	32	25	17	250	25	23	4			
S32T-SDWCR/L11	40	32	20.5	300	32	29	4			

SCLCR/L 变径

变径内孔镗刀杆
Internal Boring bars

SCLCR/L变径系列
SCLCR/L Reducing Series




Designation 型号	Dimension (mm)/尺寸								Inserts 刀片	Parts/配件	
	D	d	d1	L	L1	H	F	a°		Screw 螺丝	Wrench 扳手
S0610K-SCLCR/L04	7	10	6	125	18	9	3.5	15	CC□□0402	M2.0-003	T6
S0710K-SCLCR/L06	9	10	7	125	24	9	4.5	15	CC□□0602	M2.5-003	T8
S0810K-SCLCR/L06	10	10	8	125	24	9	5	13			
S0910K-SCLCR/L06	11	10	9	125	30	9	5.5	12			
S0612K-SCLCR/L04	7	12	6	125	18	11	3.5	15	CC□□0402	M2.0-003	T6
S0712K-SCLCR/L06	9	12	7	125	24	11	4.5	15	CC□□0602	M2.5-003	T8
S0812K-SCLCR/L06	10	12	8	125	24	11	5	13			
S0912K-SCLCR/L06	11	12	9	125	30	11	5.5	12			
S1012K-SCLCR/L06	12	12	10	125	30	11	6	12	CC□□0402	M2.0-003	T6
S0616K-SCLCR/L04	7	16	6	125	18	15	3.5	15			
S0716K-SCLCR/L06	9	16	7	125	24	15	4.5	15			
S0816K-SCLCR/L06	10	16	8	125	24	15	5	13	CC□□0602	M2.5-003	T8
S0916K-SCLCR/L06	11	16	9	125	30	15	5.5	12			
S1016K-SCLCR/L06	12	16	10	125	30	15	6	12			
S1216K-SCLCR/L06	14	16	12	125	36	15	7	12	CC□□09T3	M3.5-003	T15
S1216K-SCLCR/L09	15	16	12	125	36	15	7.5	12			
S1416K-SCLCR/L09	17	16	14	125	36	15	8.5	12			
S0820M-SCLCR/L06	10	20	8	150	24	18	5	13	CC□□0602	M2.5-003	T8
S1020M-SCLCR/L06	12	20	10	150	30	18	6	12			
S1220M-SCLCR/L06	14	20	12	150	36	18	7	12			
S1220M-SCLCR/L09	15	20	12	150	36	18	7.5	12	CC□□09T3	M3.5-003	T15
S1420M-SCLCR/L09	17	20	14	150	36	18	8.5	12			
S1620M-SCLCR/L09	19	20	16	150	36	18	9.5	10			
S1820M-SCLCR/L09	21	20	18	150	36	18	10.5	10			

SCLCR/L

内孔镗刀杆
Internal Boring bars

SCLCR/L系列
SCLCR/L Series





Designation 型号	Dimension (mm)/尺寸							Inserts 刀片	Parts/配件	
	D	d	L	L1	F	H	a°		Screw 螺丝	Wrench 扳手
S06H-SCLCR/L04	7	6	100	12	3.5	5.4	15	CC□□0402	M2.0-003	T6
S07K-SCLCR/L06	9	7	125	14	4.5	6	15	CC□□0602	M2.5-003	T8
S08K-SCLCR/L06	10	8	125	16	5	7	13			
S10K-SCLCR/L06	13	10	125	16	6	9	12			
S12M-SCLCR/L06	16	12	150	16	7	11	10			
S12M-SCLCR/L09	16	12	150	16	7.5	11	12	CC□□09T3	M3.5-003	T15
S14N-SCLCR/L09	18	14	160	16	8.5	13	12			
S14Q-SCLCR/L09	18	14	180	16	8.5	13	12			
S16N-SCLCR/L09	20	16	160	16	9.5	15	10			
S16Q-SCLCR/L09	20	16	180	16	9.5	15	10			
S18Q-SCLCR/L09	22	18	180	20	10.5	17	10			
S20Q-SCLCR/L09	25	20	180	20	11.5	18	8			
S20R-SCLCR/L09	25	20	200	25	11.5	18	8			
S25R-SCLCR/L09	31	25	200	20	14	23	6			
S25S-SCLCR/L09	31	25	250	20	14	23	6			
S20Q-SCLCR/L12	25	20	180	25	12	18	8	CC□□1204	M5.0-003	T20
S20R-SCLCR/L12	25	20	200	25	12	18	8			
S25R-SCLCR/L12	31	25	200	25	14.5	23	6			
S25S-SCLCR/L12	31	25	250	25	14.5	23	6			
S32S-SCLCR/L12	39	32	250	32	16	29	4			
S32T-SCLCR/L12	39	32	300	32	16	29	4			

SDQCR/L

内孔镗刀杆

Internal Boring bars

SDQCR/L系列
SDQCR/L Series





Designation 型号	Dimension (mm)/尺寸							Inserts 刀片	Parts/配件	
	D	d	F	L	L1	H	a°		Screw 螺丝	Wrench 扳手
S08K-SDQCR/L07	13	8	6	125	16	7	12	DC□□0702	TSA-M2.5-003	T8
S10K-SDQCR/L07	16	10	7	125	16	9	10			
S12M-SDQCR/L07	20	12	9	150	16	11	8			
S16N-SDQCR/L07	25	16	11	160	16	15	6			
S16Q-SDQCR/L07	25	16	11	180	16	15	6			
S16N-SDQCR/L11	25	16	11	160	16	15	6	DC□□11T3	TSA-M3.5-003	T15
S16Q-SDQCR/L11	25	16	11	180	16	15	6			
S20Q-SDQCR/L11	28	20	13	180	20	18	6			
S20R-SDQCR/L11	28	20	13	200	25	18	6			
S25R-SDQCR/L11	33	25	16	200	25	23	4			
S25S-SDQCR/L11	33	25	16	250	25	23	4			
S32S-SDQCR/L11	41	32	20	250	32	29	4			
S32T-SDQCR/L11	41	32	20	300	32	29	4			

SDUCR/L

内孔镗刀杆

Internal Boring bars

SDUCR/L系列
SDUCR/L Series



Designation 型号	Dimension (mm)/尺寸							Inserts 刀片	Parts/配件	
	D	d	F	L	L1	H	a°		Screw 螺丝	Wrench 扳手
S08K-SDUCR/L07	13	8	7	125	16	7	12	DC□□0702	TSA-M2.5-003	T8
S10K-SDUCR/L07	15	10	8	125	16	9	10			
S12M-SDUCR/L07	17	12	9	150	16	11	8			
S14N-SDUCR/L07	20	14	10	160	16	13	8			
S16N-SDUCR/L07	22	16	11	160	16	15	6			
S16Q-SDUCR/L07	22	16	11	180	16	15	6	DC□□11T3	TSA-M3.5-003	T15
S16N-SDUCR/L11	23	16	12	160	16	15	8			
S16Q-SDUCR/L11	23	16	12	180	16	15	8			
S20Q-SDUCR/L11	25	20	13	180	20	18	6			
S20R-SDUCR/L11	25	20	13	200	25	18	6			
S25R-SDUCR/L11	32	25	16	200	25	23	4			
S25S-SDUCR/L11	32	25	16	250	25	23	4			
S32S-SDUCR/L11	39	32	20	250	32	29	4			
S32T-SDUCR/L11	39	32	20	300	32	29	4			