


S-SVNR

内孔镗刀杆

Internal Boring bars

S-SVNR系列
S-SVNR Series



Designation 型号	Dimension (mm)/尺寸				Inserts 刀片	Parts/配件	
	Φd	L	L1	H		Screw 螺丝	Wrench 扳手
S10F-SVNR12N	10	80	23	9	VNBR 05	M3.0-003	T8
S12F-SVNR12N	12	80	23	11			
S14G-SVNR12N	14	90	23	13			
S16H-SVNR12N	16	100	23	15			
S18H-SVNR12N	18	100	24	18			
S20H-SVNR12N	20	100	24	18			

SVNR

内孔镗刀杆

Internal Boring bars

SVNR系列
SVNR Series



Designation 型号	Dimension (mm)/尺寸						Inserts 刀片	Parts/配件	
	h	b	L	L1	h1	F		Screw 螺丝	Wrench 扳手
SVNR-1010H-12N	10	10	100	22	10	10	VNBR 05	M3.0-003	T8
SVNR-1212K-12N	12	12	125	22	12	12			
SVNR-1616K-12N	16	16	125	22	16	16			
SVNR-2020K-12N	20	20	125	22	20	20			
SVNR-2525M-12N	25	25	150	22	25	25			


MFHR/L

内端面槽刀杆

Internal Facing Grooving Holder

BEN Tools

MFHR/L系列
MFHR/L Series




Designation 型号	Inserts 刀片	Dimension (mm)/尺寸								Parts/配件	
		h	Φd	L	L1	F	Tmax	最小	最大	Screw 螺丝	Wrench 扳手
MFH216R06-25-140	MGMN200	7.5	16	180	48	6	6	25	140	NLJ0516	L4.0
MFH216R08-25-140		7.5	16	180	48	6	8	25	140		
MFH220R06-25-140		8	20	200	60	9	6	25	140	NLJ0520	L4.0
MFH220R08-25-140		8	20	200	60	9	8	25	140		
MFH225R06-25-140		11.5	25	250	56	11.5	6	25	140		
MFH225R08-25-140		11.5	25	250	56	11.5	8	25	140		
MFH2.516R06-25-140	MGMN250	7.5	16	180	48	6	6	25	140	NLJ0516	L4.0
MFH2.516R08-25-140		7.5	16	180	48	6	8	25	140		
MFH2.520R06-25-140		8	20	200	60	9	6	25	140	NLJ0520	L4.0
MFH2.520R08-25-140		8	20	200	60	9	8	25	140		
MFH2.525R06-25-140		11.5	25	250	56	11.5	6	25	140		
MFH2.525R08-25-140		11.5	25	250	56	11.5	8	25	140		
MFH316R06-25-140	MGMN300	7.5	16	180	48	6	6	25	140	NLJ0516	L4.0
MFH316R08-25-140		7.5	16	180	48	6	8	25	140		
MFH320R08-25-140		8	20	200	60	9	8	25	140	NLJ0520	L4.0
MFH320R10-25-140		8	20	200	60	9	10	25	140		
MFH325R08-25-140		11.5	25	250	56	11.5	8	25	140		
MFH325R10-25-140		11.5	25	250	56	11.5	10	25	140		
MFH332R10-32-200	MGMN400	15	32	250	56	16	10	32	200	NLJ0625	L5.0
MFH332R12-32-200		15	32	250	56	16	12	32	200		
MFH340R12-40-500		18	40	300	56	20	12	40	500	NLJ0520	L4.0
MFH420R08-25-140		8	20	200	60	9	8	25	140		
MFH420R12-25-140		8	20	200	60	9	12	25	140		
MFH425R08-25-140		11.5	25	250	56	11.5	8	25	140		
MFH425R10-25-140	MGMN500	11.5	25	250	56	11.5	10	25	140	NLJ0625	L5.0
MFH425R12-25-140		11.5	25	250	56	11.5	12	25	140		
MFH432R12-32-200		15	32	250	56	16	12	32	200	NLJ0520	L4.0
MFH440R15-40-500		18	40	300	56	20	15	40	500		
MFH525R08-25-140		11.5	25	250	56	11.5	8	25	140		
MFH525R12-25-140		11.5	25	250	56	11.5	12	25	140		
MFH525R18-25-140	MGMN500	11.5	25	250	56	11.5	18	25	140	NLJ0625	L5.0
MFH540R15-40-500		18	40	300	56	20	15	40	500		

MGNVR/L-A

高压内冷内孔槽刀杆
Jetstream Grooving Holder

MGNVR/L-A系列
MGNVR/L-A Series



Designation/型号		Dimension (mm)/尺寸							Inserts/刀片	Parts/配件		内冷 螺纹型号			
		内槽加工、车削加工													
大类	规格	DMIN 最小加工 孔径	D 刀杆 直径	L 全长	L1	H	Tmax	S			螺丝 NLJ	扳手 TSA			
MGNVR/L	1620M-2-T3-A	20	16	150	10	15	3	11.4	MGMN200	NLJ0416	L3	ZG1/8			
	1622M-2-T5-A	22	16	150	10	15	5	13.4							
	1624M-2-T7-A	24	16	150	10	15	7	15.4		NLJ0520	L4				
	2026M-2-T5-A	26	20	150	10	18	5	15.4							
	2028M-2-T7-A	28	20	150	10	18	7	17.4		MGMN250	NLJ0416		L3		
	2030M-2-T9-A	30	20	150	10	18	9	19.4							
	1622M-2.5-T5-A	22	16	150	10	15	5	13.4	NLJ0520		L4				
	1624M-2.5-T7-A	24	16	150	10	15	7	15.4							
	1626M-2.5-T9-A	26	16	150	10	15	9	17.4	NLJ0416		L3				
	2027M-2.5-T6-A	27	20	150	10	18	6	16.4							
	2029M-2.5-T8-A	29	20	150	10	18	8	18.4							
	2031M-2.5-T10-A	31	20	150	10	18	10	20.4							
	1622M-3-T5-A	22	16	150	10	15	5	13.4	MGMN300	NLJ0416	L3				
	1624M-3-T7-A	24	16	150	10	15	7	15.4							
	1626M-3-T9-A	26	16	150	10	15	9	17.4		NLJ0520	L4				
	2027M-3-T6-A	27	20	150	10	18	6	16.4							
	2029M-3-T8-A	29	20	150	10	18	8	18.4							
	2031M-3-T10-A	31	20	150	10	18	10	20.4							
	2532R-3-T6-A	32	25	200	10	23	6	18.9		NLJ0520	L4				
	2534R-3-T8-A	34	25	200	10	23	8	20.9							
	2536R-3-T10-A	36	25	200	10	23	10	22.9							
	2538R-3-T12-A	38	25	200	10	23	12	24.9							
	3239S-3-T6-A	39	32	250	10	29	6	22.4					MGMN400	NLJ0520	L4
	3241S-3-T8-A	41	32	250	10	29	8	24.4							
	3243S-3-T10-A	43	32	250	10	29	10	26.4							
	3245S-3-T12-A	45	32	250	10	29	12	28.4							
	2532R-4-T6-A	32	25	200	10	23	6	18.9	MGMN500	NLJ0520	L4				
	2534R-4-T8-A	34	25	200	10	23	8	20.9							
	2536R-4-T10-A	36	25	200	10	23	10	22.9							
	2538R-4-T12-A	38	25	200	10	23	12	24.9							
	3239S-4-T6-A	39	32	250	10	29	6	22.4							
	3241S-4-T8-A	41	32	250	10	29	8	24.4							
	3243S-4-T10-A	43	32	250	10	29	10	26.4							
	3245S-4-T12-A	45	32	250	10	29	12	28.4							
	2532R-5-T6-A	32	25	200	10	23	6	18.9	MGMN500	NLJ0520	L4				
	2534R-5-T8-A	34	25	200	10	23	8	20.9							
	2536R-5-T10-A	36	25	200	10	23	10	22.9							
	2538R-5-T12-A	38	25	200	10	23	12	24.9							
	3241S-5-T8-A	41	32	250	10	29	8	24.4							
	3243S-5-T10-A	43	32	250	10	29	10	26.4							
	3245S-5-T12-A	45	32	250	10	29	12	28.4							
	3249S-5-T16-A	49	32	250	10	29	16	32.4							



MGNVR/L

内孔槽刀杆

Internal Grooving Holder

BEN Tools

MGNVR/L系列
MGNVR/L Series



Designation/型号		Dimension (mm)/尺寸								Inserts/刀片	Parts/配件			
		内槽加工、车削加工												
大类	规格	DMIN 最小加工 孔径	D 刀杆 直径	L 全长	L1	H	Tmax	S	形状			螺丝 DGD	扳手 TSA	
MGNVR/L	1617M-1.5-T3-B	17	16	150	35	15	3	11.4	Fig 2		MGMN150	0416	L3	
	1618M-1.5-T4-B	18	16	150	35	15	4	12.4	Fig 2					
	1619M-1.5-T5-B	19	16	150	35	15	5	13.4	Fig 2					
	1620M-1.5-T6-B	20	16	150	35	15	6	14.4	Fig 2					
	1615M-2-T3-B	15	16	150	30	15	3	11.4	Fig 2	MGMN200				
	1616M-2-T4-B	16	16	150	30	15	4	12.4	Fig 2					
	1617M-2-T5-B	17	16	150	30	15	5	13.4	Fig 2					
	1618M-2-T4-B	18	16	150	35	15	4	12.4	Fig 2					
	1619M-2-T5-B	19	16	150	35	15	5	13.4	Fig 2	MGMN300				
	1620M-2-T6-B	20	16	150	35	15	6	14.4	Fig 2					
	1617M-3-T3-B	17	16	150	35	15	3	11.4	Fig 2					
	1618M-3-T4-B	18	16	150	35	15	4	12.4	Fig 2	MGMN200			L4	
	1619M-3-T5-B	19	16	150	35	15	5	13.4	Fig 2					
	1620M-3-T6-B	20	16	150	35	15	6	14.4	Fig 2					
	2025M-2-T7-B	25	20	150	45	18	7	17.4	Fig 2	MGMN200	0416			
	2025M-2-T9-B	25	20	150	40	18	7	19.4	Fig 2					
	1620M-2-T3	20	16	150	10	15	3	11.4	Fig 1					
	1622M-2-T5	21	16	150	10	15	5	13.4	Fig 1	MGMN300		L3		
	1624M-2-T7	24	16	150	10	15	7	15.4	Fig 1					
	1624M-3-T7	24	16	150	10	15	7	15.4	Fig 1					
	1626M-3-T9	26	16	150	10	15	9	17.4	Fig 1	MGMN200				
	2026M-2-T5	26	20	150	10	18	5	15.4	Fig 1					
	2027M-3-T6	27	20	150	10	18	6	16.4	Fig 1	MGMN300				
	2029M-3-T8	29	20	150	10	18	8	18.4	Fig 1					
	2031M-3-T10	31	20	150	10	18	10	20.4	Fig 1	MGMN400				
	2027M-4-T6	27	20	150	10	18	6	16.4	Fig 1					
	2029M-4-T8	29	20	150	10	18	8	18.4	Fig 1	MGMN300		L4		
	2031M-4-T10	31	20	150	10	18	10	20.4	Fig 1					
	2532R-3-T6	32	25	200	10	23	5	18.9	Fig 1	MGMN300				
	2534R-3-T8	34	25	200	10	23	8	20.9	Fig 1					
	2536R-3-T10	35	25	200	10	23	10	22.9	Fig 1	MGMN400				
	2538R-3-T12	38	25	200	10	23	12	24.9	Fig 1					
	2532R-4-T6	32	25	200	10	23	6	18.9	Fig 1	MGMN500				
	2534R-4-T8	34	25	200	10	23	8	20.9	Fig 1					
	2536R-4-T10	36	25	200	10	23	10	22.9	Fig 1	MGMN300				
	2538R-4-T12	38	25	200	10	23	12	24.9	Fig 1					
	2532R-5-T6	32	25	200	10	23	6	18.9	Fig 1	MGMN400				
	2534R-5-T8	34	25	200	10	23	8	20.9	Fig 1					
	2536R-5-T10	36	25	200	10	23	10	22.9	Fig 1	MGMN400				
	2538R-5-T12	38	25	200	10	23	12	24.9	Fig 1					
	3239S-3-T6	39	32	250	10	29	6	22.4	Fig 1	MGMN300				
	3241S-3-T8	41	32	250	10	29	8	24.4	Fig 1					
	3243S-3-T10	43	32	250	10	29	10	26.4	Fig 1	MGMN400				
	3245S-3-T12	45	32	250	10	29	12	28.4	Fig 1					
	3239S-4-T6	39	32	250	10	29	6	22.4	Fig 1	MGMN400				
	3241S-4-T8	41	32	250	10	29	8	24.4	Fig 1					
	3243S-4-T10	43	32	250	10	29	10	26.4	Fig 1	MGMN400				
	3245S-4-T12	45	32	250	10	29	12	28.4	Fig 1					
	3241S-5-T8	41	32	250	10	29	8	24.4	Fig 1	MGMN400				
	3243S-5-T10	43	32	250	10	29	10	26.4	Fig 1					
	3245S-5-T12	45	32	250	10	29	12	28.4	Fig 1					


MG

小径槽刀

Grooving Holder

MG系列

MG Series



Designation 型号	Inserts 刀片	Dimension (mm)/尺寸						Parts/配件	
		ΦD	Φd	Φd1	H	L	L1	Screw 螺丝	Wrench 扳手
MG-H12-10-05R-MB05	MB-05GR100-2.8D09	9	12	5	11	100	10	M2.2-001	T-6
MG-H12-16-05R-MB05	MB-05GR150-2.8D09	9	12	5	11	100	16		
	MB-05GR200-2.8D09	9		5	11	100	16		
MG-H12-15-07R-MB07	MB-07GR100-3.5D12	12	12	7	11	100	15	M3.0-003	T-8
MG-H12-20-07R-MB07	MB-07GR150-3.5D12	12	12	7	11	100	20		
	MB-07GR200-3.5D12	12		7	11	100	20		
MG-H16-15-07R-MB07	MB-07GR250-3.5D12	12	16	7	15	120	15		
MG-H16-20-07R-MB07	MB-07GR300-3.0D11	11	16	7	15	120	20	M4.0-004	T-15
	MB-07GR300-3.5D12	12		7	15	120	20		
MG-H16-20-09R-MB09	MB-09GR100-5.5D16	16	16	9	15	120	20		
	MB-09GR150-6.5D17	17		9	15	120	25		
	MB-09GR200-6.5D17	17		9	15	120	25		
MG-H16-25-09R-MB09	MB-09GR250-6.5D17	17	16	9	15	120	30		
	MB-09GR250-5.5D16	16		9	15	120	30		
	MB-09GR300-6.5D17	17		9	15	120	30		
MG-H16-30-09R-MB09	MB-09GR300-5.5D16	16	16	9	15	120	30		

螺纹刀

B04-01-01



SNR-(A)系列

B04-01-02



SER/L刀杆

B04-01-02



SER/L-A刀杆

B04-01-03



DER/L-A刀杆

走心机

B05-01-01



STXNR/L刀杆

B05-01-01



PTXNR/L刀杆

B05-01-01



LTXNR/L刀杆

B05-01-02



SDNCN刀杆

B05-01-02



SVJBR/L刀杆

B05-01-03



SABSR/L刀杆

B05-01-03



SABWR/L刀杆

B05-01-04



KTKFR/L刀杆

B05-01-04



GTDR/L刀杆

B05-01-05



MGHER/L-D刀杆

B05-01-05



MGHER/L-R刀杆

B05-01-06



KGDR/L-D刀杆

B05-01-06



KGDR/L-R刀杆

B05-01-07



TTER/L-D刀杆

B05-01-08



DS-SDUCR/L刀杆

B05-01-08



DS-SVUBR/L刀杆

B05-01-09



S22F-PTXNR/L16-50

B05-01-09



S22F-SDUCR/L11-50

B05-01-10



S22F-SVUNR/L11-50

B05-01-10



S22F-SER/L16-50

B05-01-11



S22F-KTGFR/L16-50

B05-01-11



S22F-KTTXR/L32-50

车削刀具

TURNING TOOL

SNR SNR-A

BEN Tools




SNR

内螺纹刀杆

Internal Threading Holder

SNR系列
SNR Series




Designation 型号	Inserts 刀片	Dimension (mm)/尺寸							Parts/配件		
		ΦD	Φd	H	L	L1	f	a°	DD 刀垫	Screw 螺丝	Wrench 扳手
SNR0010K11	NR/L11	13	10	9	125	22	7.2	15		M2.5-003	T-8
SNR0012M11		15	12	11	150	22	8.0	15			
SNR0016M16	NR/L16	19	16	15	150	40	11.7	15		M3.5-003	T-15
SNR0016Q16		19	16	15	180	40	11.7	15			
SNR0020Q16		24	20	18	180	40	13.7	21			
SNR0025R16		29	25	23	200	45	16.2	21			
SNR0032S16		36	32	29	250	60	19.7	15	NLW016		
SNR0040T16		44	40	37	300	60	23.7	21	WLW016		

SNR-A

内螺纹刀杆

Internal Threading Holder

SNR-A系列
SNR-A Series





Designation 型号	Inserts 刀片	Dimension (mm)/尺寸							Parts/配件	
		ΦD	Φd	H	L	L1	f	a°	Screw 螺丝	Wrench 扳手
SNR0010K11-A	NR/L11	13	10	9	125	22	7.2	15	M2.5-003	T-8
SNR0012M11-A		15	12	11	150	22	8.0	15		
SNR0016M16-A	NR/L16	19	16	15	150	40	11.7	15	M3.5-003	T-15
SNR0016Q16-A		19	16	15	180	40	11.7	15		
SNR0020Q16-A		24	20	18	180	40	13.7	21		
SNR0025R16-A		29	25	23	200	45	16.2	21		

SER/L

外螺纹刀

External Thread Tool



SER/L系列
SER/L Series

Designation/型号	Inserts/刀片	Dimension (mm)/尺寸						Parts/配件			
		h	b	L	L1	h1	f	刀垫 N/WLW	螺丝 Screw	侧孔螺丝 NLJ	扳手 TSA
SER/L-1012H16	16ER/L	10	12	100	20	10	16	N/WLW 016	M3. 5*12	NLJ0308	T15
SER/L-1212H16		12	12	100	20	12	16				
SER/L-1616H16		16	16	100	20	16	20				
SER/L-2020K16		20	20	125	25	20	25				
SER/L-2525M16		25	25	150	30	25	32				
SER/L-3232P16		32	32	175	35	32	40				

SER/L-A

内冷外螺纹刀

Coolant-Through External Threading Tool

SER/L-A 系列
SER/L-A Series


Designation/型号	Inserts/刀片	Dimension (mm)/尺寸						Parts/配件			
		h	b	L	L1	h1	f	刀垫 N/WLW	螺丝 Screw	侧孔螺丝 NLJ	扳手 TSA
SER/L-2020K16-A	16ER/L	20	20	125	28	20	25	N/WLW 016	M3. 5*12	NLJ0308	T20 L2.5
SER/L-2525M16-A		25	25	150	30	25	32				
SER/L-3232P16-A		32	32	175	35	32	40				

DER/L-A

内冷外螺纹刀

Coolant-Through External Threading Tool

DER/L-A系列
DER/L-A Series



Designation/型号	Inserts/刀片	Dimension (mm)/尺寸						Parts/配件							
		h	b	L	L1	h1	f								
DER/L-2020K16-A	16ER/L	20	20	125	30	25	25	N/WLW 016	M3.5*12	DE16-R/L	0610	O06	0520	0814	T20
DER/L-2525M16-A		25	25	150	30	32	32			DE16-R/L					
DER/L-3232P16-A		32	32	175	35	32	40			DE16-R/L					
DER/L-2525M22-A	22ER/L	25	25	150	35	25	32	N/WLW 022	M4.0*12	DE22-R/L					
DER/L-2525M22-A		32	32	170	35	32	40			DE22-R/L					

车削刀具

TURNING TOOL

BEN Tools

SDNCN SVJBR/L DS-SDUCR/L DS-SVUBR/L
STXNR/L PTXNR/L LTXNR/L KTKFR/L GTDR/L
KGDR/L KGDR/L-R MGHER/L-D MGHER/L-R
SABSR/L SABWR/L TTER/L

精密小零件加工走心机刀杆


淬火后加工 刀体高刚性
精细化工艺 产品高精度



STXNR/L

走心机车刀杆

Automatic Lathes Turning Holder



STXNR/L系列
STXNR/L Series




Designation 型号	Inserts 刀片	Dimension (mm)/尺寸							Parts/配件	
		H	HF	B	LF	LH	WF	HBKW	Screw 螺丝	Wrench 扳手
STXNR/L 1016X33N	TNG(M)G1604	10	10	16	120	18	16	2	M3.5-005	T-15
STXNR/L 1216X33N		12	12	16	120	18	16	2		
STXNR/L 1616X33N		16	16	16	120	18	16	0		

PTXNR/L

走心机车刀杆

Automatic Lathes Turning Holder



PTXNR/L系列
PTXNR/L Series




Designation 型号	Inserts 刀片	Dimension (mm)/尺寸								Parts/配件				
		H	HF	B	LF	LH	WF	HBKW1	HBKW2	Lever 杠杆	TH 弹簧	Screw 杠杆螺丝	DX 垫销	Wrench 扳手
PTXNR/L 1016X33N	TNG(M)G1604	10	10	16	120	19.5	16	2	4	GGX0313A	TH0505	NLJ0610-P	DX0505	L3.0
PTXNR/L 1216X33N		12	12	16	120	19.5	16	2	2					
PTXNR/L 1616X33N		16	16	16	120	19.5	16	2	0					

LTXNR/L

走心机车刀杆

Automatic Lathes Turning Holder



LTXNR/L系列
LTXNR/L Series




Designation 型号	Inserts 刀片	Dimension (mm)/尺寸							Parts/配件		
		H	HF	B	LF	LH	WF	HBKW	Lever 杠杆	Screw 螺丝	Wrench 扳手
LTXNR/L 1016X33N	TNG(M)G1604	10	10	16	120	18	16	2	LTX-GGX0712	ST-0514	L2.5
LTXNR/L 1216X33N		12	12	16	120	18	16	0			
LTXNR/L 1616X33N		16	16	16	120	18	16	0			

SDNCN

走心机车刀杆

Automatic Lathes Turning Holder

SDNCN系列
SDNCN Series




Designation 型号	Inserts 刀片	Dimension (mm)/尺寸					Parts/配件	
		H	HF	B	LF	WF	Screw 螺丝	Wrench 扳手
SDNCN 1010F-07	DCG(M)T 0702	10	10	10	85	5	M2.5-001	T-8
SDNCN 1010F-11	DCG(M)T 11T3	10	10	10	85	5	M3.5-004	T-15
SDNCN 1212F-11	DCG(M)T 11T3	12	12	12	85	6		
SDNCN 1616H-11	DCG(M)T 11T3	16	16	16	100	8		
SDNCN 2020K-11	DCG(M)T 11T3	20	20	20	125	10		
SDNCN 2525M-11	DCG(M)T 11T3	25	25	25	150	12.5		
SDNCN 1010JX-07	DCG(M)T 0702	10	10	10	120	5	M2.5-001	T-8
SDNCN 1010JX-11	DCG(M)T 11T3	10	10	10	120	5	M3.5-004	T-15
SDNCN 1212JX-11	DCG(M)T 11T3	12	12	12	120	6		
SDNCN 1616JX-11	DCG(M)T 11T3	16	16	16	120	8		

SVJBR/L (无偏头)

走心机车刀杆

Automatic Lathes Turning Holder

SVJBR/L系列
SVJBR/L Series



Designation 型号	Inserts 刀片	Dimension (mm)/尺寸					Parts/配件	
		H	B	L	F	h	Screw 螺丝	Wrench 扳手
SVJBR/L 1010JX-11FF	VBG(M)T1103	10	10	120	10	10	M2.5-001	T-8
SVJBR/L 1212JX-11FF		12	12	120	12	12		
SVJBR/L 1616JX-11FF		16	16	120	16	16		


SABSR/L

走心机背车刀杆

Automatic Lathes Back Turning Holder

SABSR/L系列

SABSR/L Series



Designation 型号	Inserts 刀片	Dimension (mm)/尺寸					Parts/配件	
		H	HF	B	LF	WF	Screw 螺丝	Wrench 扳手
SABSR 1010JX-40F	ABS15R40	10	10	10	120	10	M3.0-003	T-8
SABSR 1212JX-40F		10	10	10	120	10		
SABSR 1616JX-40F		12	12	12	120	12		
SABSR 2020K-40F		16	16	16	120	16		


SABWR/L

走心机背车刀杆

Automatic Lathes Back Turning Holder

SABWR/L系列

SABWR/L Series



Designation 型号	Inserts 刀片	Dimension (mm)/尺寸					Parts/配件	
		H	HF	B	LF	WF	Screw 螺丝	Wrench 扳手
SABWR 1010JX-40F	ABW15R40	10	10	10	120	10	M3.0-003	T-8
SABWR 1212JX-40F		10	10	10	120	10		
SABWR 1616JX-40F		12	12	12	120	12		
SABWR 2020K-40F		16	16	16	125	16		
SABWR 1010JX-50F	ABW23R50	10	10	10	120	10		
SABWR 1212JX-50F		10	10	10	120	10		
SABWR 1616JX-50F		12	12	12	120	12		
SABWR 2020K-50F		16	16	16	125	16		